



"O'Donnell, John"  
<John.O'Donnell@tetrattech.com>  
05/30/2008 04:04 PM

To Kathryn Hernandez/EPR/R8/USEPA/US@EPA, Tom  
Brooks/TMS/R8/USEPA/US@EPA  
cc "Ludwig, Jon" <jon.ludwig@tetrattech.com>, "Craig, John"  
<john.craig@tetrattech.com>, "Ewing, Jeanet"  
<Jeanet.Ewing@tetrattech.com>, "Wilkes, Sam"  
bcc

Subject Revision 1 Lower Silver Creek FSP

History: This message has been replied to and forwarded.

All:

Please find attached Revision 1 of the field sampling plan for Work Assignment 69, and the associated QAPP checklist with notations as to the address of each of the identified deficiencies. Please note that, while the QAPP checklist notations may indicate specific pages on which deficiencies were addressed in the draft final document, that the page numbering may have changed slightly in the final pdf formatting. Please also note that this document has not been through the editorial review required under our OWM Contract Quality Management Plan, and that it has been submitted for editorial review concurrent with this submittal.

We believe that it has been sufficiently modified to meet provisional technical approval for the scheduled field work, and request that email to that effect be issued on your review. (Please use "respond to all" so that project staff will have appropriate interim approval). Subsequent to any final comments you may have and our completion of the requisite editorial review, Tetra Tech will submit a signed final copy for execution and return of the original signed copy to our office in Fairfax, Virginia. On receipt of the fully executed copy, we will scan the final executed document and distribute the QAPP electronically to all appropriate parties.

Thank you for your patience and your urgent attention to this review. Have a pleasant weekend.

Be safe and be well,

**John O'Donnell | Environmental Quality Assurance Chemist**

Direct: 703.385.6000 x121 | Fax: 703.385.6007

[john.odonnell@tetrattech.com](mailto:john.odonnell@tetrattech.com)

**Tetra Tech | Complex World, Clear Solutions**

10306 Eaton Place, Suite 340 | Fairfax, VA 22030-2201 | [www.ttwater.com](http://www.ttwater.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



080530\_SilverCreek FSP-annotatedChecklist.doc 080530\_Silver Creek FSP\_Final\_Rev1.pdf